



SILVER

INDEX

WEIGHT COMPARISONS	5
PLATING	5
NICKEL SAFE AND NICKEL FREE ALLOYS	5

SILVER

SPRING RINGS	26
NO RING	26
CLASPS	27
LOBSTER CLAW CLASPS	27
TRIGGER CLASPS	27
LONG TRIGGER CLASPS	27
OVAL TRIGGER CLASPS	28
DOUBLE PUSH CLASPS	28
FISH HOOK CLASPS	28
SHINY BEADS	29
BEADS	29
ONE HOLE BEADS	30
OVALS	30
CUBE BEADS	30
ROUNDELS	30
DONUTS	30
DISCS	31
SAUCERS	31
RING BEADS	31
HOLLOW RINGS	31
CURVE TUBE	31
LASER CUT BEADS	32
BEADS	32
FANCY BEADS	32
ROUNDELS	33
DONUTS	33
DISCS	33
SAUCERS	33
VELVET BEADS	34
BEADS	34
OVALS	34
DONUTS	34
HAMMERED BEADS	35
BEADS	35
DONUTS	35
OVALS	35
TUBES	35
CURVE TUBES	35
DIAMOND CUT BEADS	36
DISCOTEQUE CUT	36
EAR CUT	36
BAR CUT	36
FACETED CUT	37
MOON CUT	37
TRIANGLE CUT	37
MICRO FACETED CUT	37

NEW DIAMOND CUT BEADS	38
MERIDIAN CUT	38
SLICES CUT	38
NEW BAR CUT	38
LASER CUT + STAR	38
CLOSER BAR CUT	38
LASER CUT + BAR	38
NEW FACETED CUT	38
LASER CUT + MERIDIAN	38
MARYCROSS CUT	38
DIAMOND CUT BEADS	39
DISCOTEQUE CUT OVALS	39
BAR CUT OVALS	39
FACETED CUT OVALS	39
BAR CUT CUBE	40
TRIANGLE CUT CUBE	40
FACETED CUT CUBE	40
BAR CUT ROUNDELS	40
FACETED CUT ROUNDELS	40
CORRUGATED BEADS	41
BEADS	41
OVALS	41
ROUNDELS	41
DISCS	41
EARRING COMPONENTS	42
BUTTERFLIES	42
PINS	42
HOOKS	42
LEVER BACKS	42
OTHER FINDINGS	43
SPLIT RINGS	43
QUALITY TAGS	43
FLAT END CAPS	43
ROUND END CAPS	43
SHINY TUBES	43

WEIGHT COMPARISONS

	Pt.950	F.G.	22 kt	18 kt	14 kt	10 kt	9 kt	F.S.	Stg.
Pt.950	1.00	0.90	0.82	0.70	0.60	0.53	0.53	0.49	0.48
F.G.	1.11	1.00	0.91	0.78	0.67	0.59	0.58	0.54	0.54
22 kt	1.22	1.10	1.00	0.86	0.73	0.65	0.64	0.60	0.59
18 kt	1.42	1.28	1.16	1.00	0.85	0.76	0.75	0.69	0.68
14 kt	1.66	1.50	1.36	1.17	1.00	0.89	0.88	0.81	0.80
10 kt	1.88	1.69	1.54	1.32	1.13	1.00	0.99	0.92	0.90
9 kt	1.90	1.71	1.56	1.34	1.14	1.01	1.00	0.93	0.92
F.S.	2.04	1.84	1.68	1.44	1.23	1.09	1.08	1.00	0.99
Stg.	2.07	1.87	1.70	1.46	1.25	1.11	1.09	1.01	1.00

Multiply by the factor shown

- i.e. if an article weighs 10 gms in 14 kt it will weigh 8.8 gms in 9 kt (10 X 0.88)
- if an article weighs 5 gms in Stg Silver it will weigh 7.3 gms in 18 kt (5 X 1.46)

PLATING

All products are available with the following plating colors:

- Gold plating (hamilton color, 14 kt, 24 kt, new English)
- Rose plating
- Silver plating
- Rhodium plating
- Ruthenium plating (black color)
- Brown plating



NICKEL SAFE AND NICKEL FREE ALLOYS

White gold is available in nickel safe alloys (EU compliant) and nickel free alloys (either with silver or with palladium).

SILVER 925

SPRING RINGS

SUPERLIGHT WEIGHT - with perpendicular top ring

30



5,0 mm
g 0,07



5,5 mm
g 0,09



5,9 mm
g 0,099

SUPERLIGHT WEIGHT - with flat top ring



5,0 mm
g 0,06



5,5 mm
g 0,083



5,9 mm
g 0,099

STANDARD WEIGHT - with perpendicular top ring

30



5,0 mm
g 0,114



5,5 mm
g 0,132



5,9 mm
g 0,164



7,0 mm
g 0,22



8,0 mm
g 0,30

STANDARD WEIGHT - with flat top ring



5,0 mm
g 0,114



5,5 mm
g 0,137



5,9 mm
g 0,164



7,0 mm
g 0,22

NO RING



7,0 mm
g 0,15



8,0 mm
g 0,23

CLASPS

LC

LOBSTER CLAW



LC00 7,0 mm g 0,15	LC0 8,4 mm g 0,23	LC1 10,1 mm g 0,35	LC2 11,7 mm g 0,47	LC3 13,6 mm g 0,74	LC4 16,1 mm g 1,22	LC5 16,3 mm g 1,92	LC6 18,3 mm g 2,56
--------------------------	-------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

LC
WR

LOBSTER CLAW - with jump ring



LC00 WR 7,0 mm g 0,18	LC0 WR 8,4 mm g 0,273	LC1 WR 10,1 mm g 0,40	LC2 WR 11,7 mm g 0,57	LC3 WR 13,6 mm g 0,79	LC4 WR 16,1 mm g 1,35	LC5 WR 16,3 mm g 2,14	LC6 WR 18,3 mm g 2,74
-----------------------------	-----------------------------	-----------------------------	-----------------------------	-----------------------------	-----------------------------	-----------------------------	-----------------------------

NTC

TRIGGER CLASPS



NTC0 - 7,0 mm g 0,15	NTC1 - 8,2 mm g 0,236	NTC2 - 10,0 mm g 0,43	NTC3 - 12,0 mm g 0,66	NTC4 - 14,5 mm g 1,14
-------------------------	--------------------------	--------------------------	--------------------------	--------------------------

NTC
WR

TRIGGER CLASPS - with jump ring



NTC0 WR 7,0 mm g 0,20	NTC1 WR 8,2 mm g 0,275	NTC2 WR 10,0 mm g 0,50	NTC3 WR 12,0 mm g 0,74	NTC4 WR 14,5 mm g 1,28
-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------

LTC

LONG TRIGGER CLASPS



LTC0 - 8,0 mm g 0,22	LTC1 - 9,0 mm g 0,25	LTC2 - 11,0 mm g 0,43
-------------------------	-------------------------	--------------------------

CLASPS

TC

OVAL TRIGGER CLASPS



TC0 - 7,8 mm

g 0,165



TC1 - 9,1 mm

g 0,285



TC2 - 11,4 mm

g 0,57



TC3 - 13,1 mm

g 0,86



TC4 - 16,1 mm

g 1,39

DP

DOUBLE PUSH



DP1 - 12,0 mm

g 0,51



DP2 - 15,0 mm

g 0,78



DP3 - 16,0 mm

g 1,05

DP WR

DOUBLE PUSH - with jump ring



DP1 WR
12,0 mm

g 0,54



DP2 WR
15,0 mm

g 0,85



DP3 WR
16,0 mm

g 1,15

FH

FISH HOOK



FH1 - 10,1 mm

g 0,33



FH2 - 11,7 mm

g 0,49



FH3 - 13,6 mm

g 0,72

FH WR

FISH HOOK - with jump ring



FH1 WR
10,1 mm

g 0,37



FH2 WR
11,7 mm

g 0,54



FH3 WR
13,6 mm

g 0,81

SHINY BEADS

SB

STANDARD WEIGHT

							
SB - 1,8 mm hole 0,9 mm	SB - 2,0 mm hole 0,9 mm	SB - 2,2 mm hole 1,0 mm	SB - 2,5 mm hole 0,9 mm hole 1,2 mm	SB - 3,0 mm hole 0,9 mm hole 1,2 mm hole 1,5 mm	SB - 3,5 mm hole 1,6 mm	SB - 4,0 mm hole 1,0 mm hole 1,5 mm hole 1,8 mm	SB - 4,5 mm hole 1,5 mm
g 0,015	g 0,023	g 0,029	g 0,039	g 0,055	g 0,084	g 0,113	g 0,152
							
SB - 5,0 mm hole 1,0 mm hole 1,5 mm hole 2,2 mm	SB - 6,0 mm hole 1,0 mm hole 1,8 mm hole 2,4 mm hole 3,2 mm	SB - 7,0 mm hole 1,8 mm hole 2,7 mm	SB - 8,0 mm hole 2,0 mm hole 2,5 mm hole 3,0 mm hole 4,0 mm	SB - 9,0 mm hole 2,0 mm hole 3,4 mm	SB - 10,0 mm hole 2,0 mm hole 2,5 mm hole 3,4 mm hole 4,0 mm	SB - 12,0 mm hole 2,5 mm hole 3,6 mm	
g 0,172	g 0,37	g 0,526	g 0,625	g 0,833	g 1,123	g 2,00	

SB L

LIGHT WEIGHT

							
SB L - 1,8 mm hole 0,9 mm	SB L - 2,0 mm hole 0,9 mm	SB L - 2,2 mm hole 1,0 mm	SB L - 2,5 mm hole 0,9 mm hole 1,2 mm	SB L - 3,0 mm hole 0,9 mm hole 1,2 mm hole 1,5 mm	SB L - 4,0 mm hole 1,0 mm hole 1,5 mm hole 1,8 mm	SB L - 5,0 mm hole 1,5 mm hole 2,2 mm	
g 0,013	g 0,018	g 0,022	g 0,030	g 0,043	g 0,084	g 0,139	
							
SB L - 6,0 mm hole 1,8 mm hole 2,4 mm hole 3,2 mm	SB L - 7,0 mm hole 1,8 mm hole 2,7 mm	SB L - 8,0 mm hole 2,0 mm hole 2,5 mm hole 3,0 mm hole 4,0 mm	SB L - 9,0 mm hole 2,0 mm hole 3,4 mm	SB L - 10,0 mm hole 2,0 mm hole 4,0 mm	SB L - 12,0 mm hole 2,5 mm		
g 0,232	g 0,357	g 0,50	g 0,59	g 0,909	g 1,428		

SB SL

SUPERLIGHT WEIGHT

						
SB SL - 3,0 mm hole 0,9 mm hole 1,2 mm hole 1,5 mm	SB SL - 4,0 mm hole 1,0 mm hole 1,5 mm hole 1,8 mm	SB SL - 5,0 mm hole 1,0 mm hole 1,5 mm hole 2,2 mm	SB SL - 6,0 mm hole 1,0 mm hole 1,8 mm hole 2,4 mm	SB SL - 7,0 mm hole 1,8 mm hole 2,7 mm	SB SL - 8,0 mm hole 2,0 mm hole 3,0 mm hole 4,0 mm	SB SL - 9,0 mm hole 3,4 mm
g 0,033	g 0,069	g 0,114	g 0,213	g 0,269	g 0,405	g 0,475

SILVER 925

SHINY

OSB

ONE HOLE BEADS

			
OSB - 3,0 mm hole 0,9 mm	OSB - 4,0 mm hole 0,9 mm	OSB - 5,0 mm hole 0,9 mm	OSB - 6,0 mm hole 0,9 mm
g 0,054	g 0,114	g 0,172	g 0,303

SO

STANDARD WEIGHT OVALS

							
SO Ø 3,0 x 4,6 mm hole 1,3 mm	SO Ø 4,0 x 7,0 mm hole 1,5 mm	SO Ø 5,0 x 8,0 mm hole 1,5 mm hole 2,0 mm	SO Ø 6,0 x 7,0 mm hole 2,0 mm	SO Ø 6,0 x 10,0 mm hole 1,5 mm	SO Ø 7,0 x 8,0 mm hole 2,0 mm	SO Ø 7,0 x 11,0 mm hole 1,7 mm	SO Ø 8,0 x 13,0 mm hole 1,8 mm
g 0,099	g 0,212	g 0,303	g 0,434	g 0,39	g 0,588	g 0,833	g 0,825

CU

CUBE BEADS

					
CU - 2,0 mm	CU - 2,5 mm	CU - 3,0 mm	CU - 4,0 mm	CU - 5,0 mm	CU - 8,0 mm
g 0,04	g 0,063	g 0,094	g 0,22	g 0,33	g 1,25

SR

ROUNDELS

				
SR - 3,0 mm hole 1,2 mm	SR - 4,0 mm hole 1,5 mm	SR - 5,0 mm hole 1,8 mm	SR - 6,0 mm hole 2,0 mm	SR - 7,0 mm hole 2,5 mm
g 0,054	g 0,111	g 0,172	g 0,344	g 0,45

DR

DONUTS

						
DR - 3,0 mm hole 1,2 mm	DR - 4,0 mm hole 1,5 mm	DR - 4,5 mm hole 1,5 mm	DR - 5,0 mm hole 1,8 mm	DR - 6,0 mm hole 2,0 mm	DR - 7,0 mm hole 2,5 mm	DR - 8,0 mm hole 2,5 mm
g 0,053	g 0,107	g 0,150	g 0,169	g 0,344	g 0,454	g 0,588

SHINY

SD

DISCS



SD - 3,0 mm
hole 1,3 mm
g 0,053



SD - 4,0 mm
hole 1,6 mm
g 0,106



SD - 5,0 mm
hole 2,0 mm
g 0,169



SD - 6,0 mm
hole 2,1 mm
g 0,333

SS

SAUCERS



SS - 3,0 mm
hole 1,0 mm
g 0,056



SS - 4,0 mm
hole 1,4 mm
g 0,113



SS - 5,0 mm
hole 1,4 mm
g 0,188



SS - 6,0 mm
hole 1,5 mm
g 0,370



SS - 8,0 mm
hole 2,0 mm
g 0,666

RB

RING BEADS



RB - 4,0 mm
hole 2,2 mm
g 0,063



RB - 5,0 mm
hole 3,2 mm
g 0,066



RB - 6,0 mm
hole 4,0 mm
g 0,124



RB - 7,0 mm
hole 4,6 mm
g 0,151



RB - 8,0 mm
hole 5,2 mm
g 0,23

HR

HOLLOW RINGS



HR - 4,0 mm
g 0,064



HR - 5,0 mm
g 0,068



HR - 6,0 mm
g 0,116



HR - 7,0 mm
g 0,151



HR - 8,0 mm
g 0,243

CT

CURVE TUBES




CT - 2,0 x 20,0 mm
g 0,21



CT - 3,0 x 30,0 mm
g 1,07

SILVER 925

LASER CUT BEADS



LB

STANDARD WEIGHT

LB - 3,0 mm hole 0,9 mm hole 1,2 mm hole 1,5 mm	LB - 4,0 mm hole 1,5 mm hole 1,8 mm	LB - 5,0 mm hole 1,5 mm hole 2,2 mm	LB - 6,0 mm hole 1,8 mm hole 2,4 mm	LB - 7,0 mm hole 1,8 mm hole 2,7 mm	LB - 8,0 mm hole 2,0 mm hole 3,0 mm	LB - 9,0 mm hole 3,4 mm	LB - 10,0 mm hole 3,4 mm	LB - 12,0 mm hole 3,6 mm
g 0,055	g 0,110	g 0,179	g 0,36	g 0,51	g 0,62	g 0,79	g 1,10	g 1,56

LB L



LIGHT WEIGHT

LB L - 3,0 mm hole 0,9 mm hole 1,2 mm hole 1,5 mm	LB L - 4,0 mm hole 1,5 mm hole 1,8 mm	LB L - 5,0 mm hole 1,5 mm hole 2,2 mm	LB L - 6,0 mm hole 1,8 mm hole 2,4 mm	LB L - 7,0 mm hole 1,8 mm hole 2,7 mm	LB L - 8,0 mm hole 2,0 mm hole 3,0 mm hole 4,0 mm	LB L - 9,0 mm hole 3,4 mm
g 0,041	g 0,079	g 0,141	g 0,227	g 0,35	g 0,51	g 0,59

FAB

FANCY

FAB - 6,0 mm hole 1,8 mm hole 2,4 mm hole 3,2 mm	FAB - 7,0 mm hole 1,8 mm hole 2,7 mm	FAB - 8,0 mm hole 2,0 mm hole 2,5 mm hole 3,0 mm	FAB - 9,0 mm hole 3,4 mm	FAB - 10,0 mm hole 3,4 mm
g 0,36	g 0,48	g 0,62	g 0,79	g 0,93



925

SILVER

LASER CUT

LR

ROUNDELS

LR - 3,0 mm
hole 1,2 mm

g 0,052

LR - 4,0 mm
hole 1,5 mm

g 0,103

LR - 5,0 mm
hole 1,8 mm

g 0,169

LR - 6,0 mm
hole 2,0 mm

g 0,35

LR - 7,0 mm
hole 2,5 mm

g 0,45

LDR

DONUTS

LDR - 3,0 mm
hole 1,2 mm

g 0,052

LDR - 4,0 mm
hole 1,5 mm

g 0,103

LDR - 5,0 mm
hole 1,8 mm

g 0,169

LDR - 6,0 mm
hole 2,0 mm

g 0,35

LDR - 8,0 mm
hole 2,5 mm

g 0,59

LD

DISCS

LD - 3,0 mm
hole 1,3 mm

g 0,052

LD - 4,0 mm
hole 1,6 mm

g 0,103

LD - 5,0 mm
hole 2,0 mm

g 0,169

LD - 6,0 mm
hole 2,1 mm

g 0,35

LS

SAUCERS

LS - 3,0 mm
hole 1,0 mm

g 0,055

LS - 4,0 mm
hole 1,4 mm

g 0,110

LS - 5,0 mm
hole 1,4 mm


g 0,18

LS - 6,0 mm
hole 1,5 mm

g 0,36

SILVER 925

VELVET



VB

STANDARD WEIGHT BEADS

							
VB - 4,0 mm hole 1,5 mm hole 1,8 mm	VB - 5,0 mm hole 1,5 mm hole 2,2 mm	VB - 6,0 mm hole 1,8 mm hole 2,4 mm hole 3,2 mm	VB - 7,0 mm hole 1,8 mm hole 2,7 mm	VB - 8,0 mm hole 2,0 mm hole 2,5 mm hole 3,0 mm	VB - 9,0 mm hole 3,4 mm	VB - 10,0 mm hole 3,4 mm	VB - 12,0 mm hole 3,6 mm
g 0,111	g 0,18	g 0,36	g 0,51	g 0,62	g 0,79	g 1,07	g 1,66

VO

STANDARD WEIGHT OVALS

			
VO - Ø 5,0 x 8,0 mm hole 1,5 mm	VO - Ø 6,0 x 10,0 mm hole 1,5 mm	VO - Ø 7,0 x 11,0 mm hole 1,7 mm	VO - Ø 8,0 x 13,0 mm hole 1,8 mm
g 0,31	g 0,39	g 0,825	g 1,00

VDR

STANDARD WEIGHT DONUTS

			
VDR - 4,0 mm hole 1,5 mm	VDR - 5,0 mm hole 1,8 mm	VDR - 6,0 mm hole 2,0 mm	VDR - 8,0 mm hole 2,5 mm
g 0,103	g 0,17	g 0,35	g 0,59

HAMMERED

HB

BEADS

HB - 3,0 mm
hole 0,9 mm
hole 1,2 mm

g 0,049

HB - 4,0 mm
hole 1,5 mm
hole 1,8 mm

g 0,096

HB - 5,0 mm
hole 1,5 mm
hole 2,2 mm

g 0,17

HB - 6,0 mm
hole 1,8 mm
hole 2,4 mm

g 0,38

HB - 8,0 mm
hole 2,0 mm

g 0,66

HDR

DONUTS

HDR - 3,0 mm
hole 1,2 mm

g 0,049

HDR - 4,0 mm
hole 1,5 mm

g 0,096

HDR - 5,0 mm
hole 1,8 mm

g 0,17

HDR - 6,0 mm
hole 2,5 mm

g 0,38

HO

OVALS

HO - Ø 3,0 x 4,6 mm
hole 1,3 mm

g 0,089

HO - Ø 4,0 x 7,0 mm
hole 1,5 mm

g 0,18

HO - Ø 5,0 x 8,0 mm
hole 2,0 mm

g 0,28

HT

TUBES



HT - 3,0 x 10,0 mm

g 0,20



HT - 4,0 x 10,0 mm

g 0,27



HT - 5,0 x 10,0 mm

g 0,35



Mod. 1




Mod. 2



Mod. 3



Mod. 4



Mod. 5

HCT

CURVE TUBES



HCT - 2,0 x 20,0 mm

g 0,30



HCT - 3,0 x 30,0 mm

g 1,10



Mod. 1



Mod. 4

DIAMOND CUT BEADS

DISCOTEQUE CUT

DB

							
DB - 2,0 mm hole 0,9 mm 3 faces	DB - 2,5 mm hole 0,9 mm 3 faces hole 1,2 mm 3 faces	DB - 3,0 mm hole 1,2 mm 3 faces hole 1,5 mm 3 faces	DB - 4,0 mm hole 1,5 mm 3 faces hole 1,8 mm 3 faces	DB - 5,0 mm hole 1,5 mm 3 faces hole 2,2 mm 3 faces	DB - 6,0 mm hole 1,8 mm 3 faces hole 2,4 mm 3 faces	DB - 7,0 mm hole 1,8 mm 5 faces hole 2,7 mm 5 faces	DB - 8,0 mm hole 2,0 mm 5 faces hole 3,0 mm 5 faces
g 0,02	g 0,026	g 0,0450	g 0,0757	g 0,149	g 0,283	g 0,40	g 0,476

EAR CUT

EB

					
EB - 2,5 mm hole 1,2 mm	EB - 3,0 mm hole 1,2 mm hole 1,5 mm	EB - 4,0 mm hole 1,5 mm hole 1,8 mm	EB - 5,0 mm hole 1,5 mm hole 2,2 mm	EB - 6,0 mm hole 1,8 mm hole 2,4 mm	EB - 8,0 mm hole 2,0 mm hole 3,0 mm
g 0,032	g 0,033	g 0,081	g 0,125	g 0,277	g 0,43

BAR CUT

BB

						
BB - 2,0 mm hole 0,9 mm	BB - 2,5 mm hole 0,9 mm hole 1,2 mm	BB - 3,0 mm hole 1,2 mm hole 1,5 mm	BB - 4,0 mm hole 1,5 mm hole 1,8 mm	BB - 5,0 mm hole 1,5 mm hole 2,2 mm	BB - 6,0 mm hole 1,8 mm hole 2,4 mm	BB - 8,0 mm hole 2,0 mm hole 3,0 mm
g 0,019	g 0,031	g 0,049	g 0,088	g 0,138	g 0,263	g 0,438

DIAMOND CUT BEADS

FB

FACETED CUT



FB - 2,0 mm
hole 0,9 mm

g 0,02

FB - 2,5 mm
hole 0,9 mm
hole 1,2 mm

g 0,033

FB - 3,0 mm
hole 1,2 mm
hole 1,5 mm

g 0,045

FB - 4,0 mm
hole 1,5 mm
hole 1,8 mm

g 0,090

FB - 5,0 mm
hole 1,5 mm
hole 2,2 mm

g 0,125

FB - 6,0 mm
hole 1,8 mm
hole 2,4 mm

g 0,270

FB - 8,0 mm
hole 2,0 mm 4 faces
hole 3,0 mm 4 faces

g 0,526

MB

MOON CUT



MB - 2,5 mm
hole 0,9 mm
hole 1,2 mm

g 0,034

MB - 3,0 mm
hole 1,2 mm
hole 1,5 mm

g 0,050

MB - 4,0 mm
hole 1,5 mm
hole 1,8 mm

g 0,086

MB - 5,0 mm
hole 1,5 mm
hole 2,2 mm

g 0,147

MB - 6,0 mm
hole 1,8 mm
hole 2,4 mm

g 0,294

MB - 8,0 mm
hole 2,0 mm
hole 3,0 mm

g 0,50

TB

TRIANGLE CUT



TB - 2,5 mm
hole 0,9 mm
hole 1,2 mm

g 0,040

TB - 3,0 mm
hole 1,2 mm
hole 1,5 mm

g 0,040

TB - 4,0 mm
hole 1,5 mm
hole 1,8 mm

g 0,095

TB - 5,0 mm
hole 1,5 mm
hole 2,2 mm

g 0,177

TB - 6,0 mm
hole 1,8 mm
hole 2,4 mm


g 0,256

TB - 8,0 mm
hole 2,0 mm
hole 3,0 mm

g 0,531

MFB

MICRO FACETED CUT



MFB - 4,0 mm
hole 1,5 mm
hole 1,8 mm

g 0,095

MFB - 5,0 mm
hole 1,5 mm
hole 2,2 mm

g 0,177

MFB - 6,0 mm
hole 1,8 mm
hole 2,4 mm

g 0,256

MFB - 8,0 mm
hole 2,0 mm
hole 3,0 mm

g 0,531

NEW DIAMOND CUT BEADS


SLICES CUT

6,0 mm
hole 1,8 mm
hole 2,4 mm
g 0,22



LASER CUT + STAR

6,0 mm
hole 1,8 mm
hole 2,4 mm
g 0,29




LASER CUT + BAR

6,0 mm
hole 1,8 mm
hole 2,4 mm
g 0,31




LASER CUT + MERIDIAN

6,0 mm
hole 1,8 mm
hole 2,4 mm
g 0,31



LASER CUT + HORIZONTAL

6,0 mm
hole 1,8 mm
hole 2,4 mm
g 0,31



MERIDIAN CUT

6,0 mm
hole 1,8 mm
hole 2,4 mm
g 0,28



NEW BAR CUT

6,0 mm
hole 1,8 mm
hole 2,4 mm
g 0,29



CLOSER BAR CUT

6,0 mm
hole 1,8 mm
hole 2,4 mm
g 0,22




NEW FACETED CUT

6,0 mm
hole 1,8 mm
hole 2,4 mm
g 0,21



MARYCROSS CUT

6,0 mm
hole 1,8 mm
hole 2,4 mm
g 0,19



DIAMOND CUT

DO

DISCOTEQUE CUT OVALS




DO - Ø 3,0 x 4,6 mm
hole 1,3 mm
g 0,064


DO - Ø 4,0 x 7,0 mm
hole 1,5 mm
g 0,158


DO - Ø 5,0 x 8,0 mm
hole 1,5 mm
hole 2,0 mm
g 0,222

BO

BAR CUT OVALS




BO - Ø 3,0 x 4,6 mm
hole 1,3 mm
g 0,071


BO - Ø 4,0 x 7,0 mm
hole 1,5 mm
g 0,126


BO - Ø 5,0 x 8,0 mm
hole 1,5 mm
hole 2,0 mm
g 0,192

FO

FACETED CUT OVALS




FO - Ø 3,0 x 4,6 mm
hole 1,3 mm
g 0,07


FO - Ø 4,0 x 7,0 mm
hole 1,5 mm
g 0,16


FO - Ø 5,0 x 8,0 mm
hole 1,5 mm
hole 2,0 mm
g 0,29

SILVER 925

DIAMOND CUT

BAR CUT CUBE

BCU

BCU - 3,0 mm
g 0,08



TRIANGLE CUT CUBE

TCU

TCU - 3,0 mm
g 0,08



FACETED CUT CUBE

FCU

FCU - 3,0 mm
g 0,08



BAR CUT ROUNDELS

BR

BR - 3,0 mm
hole 1,2 mm
g 0,045

BR - 4,0 mm
hole 1,5 mm
g 0,096

BR - 5,0 mm
hole 1,8 mm
g 0,151

BR - 6,0 mm
hole 2,0 mm
g 0,303




FACETED CUT ROUNDELS

FR

FR - 3,0 mm
hole 1,2 mm
g 0,045

FR - 4,0 mm
hole 1,5 mm
g 0,094

FR - 5,0 mm
hole 1,8 mm
g 0,151



925

SILVER

CORRUGATED

CB

BEADS

CB - 3,0 mm
hole 1,5 mm

g 0,044

CB - 4,0 mm
hole 1,8 mm

g 0,087

CB - 5,0 mm
hole 2,2 mm

g 0,14

CB - 6,0 mm
hole 2,4 mm

g 0,23

CB - 8,0 mm
hole 2,5 mm

g 0,90

CO

OVALS

CO - Ø 3,0 x 4,6 mm
hole 1,3 mm

g 0,081

CO - Ø 4,0 x 7,0 mm
hole 1,5 mm

g 0,16

CO - Ø 5,0 x 8,0 mm
hole 2,0 mm

g 0,27

CR

ROUNDELS

CR - 3,0 mm
hole 1,2 mm

g 0,044

CR - 4,0 mm
hole 1,5 mm

g 0,087

CR - 5,0 mm
hole 1,8 mm

g 0,14

CR - 6,0 mm
hole 2,0 mm

g 0,23

CD

DISCS

CD - 3,0 mm
hole 1,3 mm

g 0,044

CD - 4,0 mm
hole 1,6 mm

g 0,087

CD - 5,0 mm
hole 2,0 mm

g 0,14

CD - 6,0 mm
hole 2,1 mm

g 0,23

SILVER 925

EARRING COMPONENTS

BUTTERFLIES



BUT - 4,0 x 5,0 mm
hole 0,8 mm
g 0,081



BUT - 5,0 x 6,0 mm
hole 0,8 mm
g 0,11



BUT - 6,0 x 7,0 mm
hole 0,8 mm
g 0,18

BUT



PINS

PIN



PIN2
0,8 x 11,0 mm - 2 cuts
g 0,05



PIN2

HOOKS



WH - Wire Hook
g 0,22



SH - Spring Hook
g 0,22



BSH - Spring
+ Bead Hook
g 0,35



BH - Bead Hook
g 0,26



WH



SH



BSH



BH

LEVER BACKS

LEV



LEV1
g 0,45



LEV2
g 0,30



LEV3
g 0,70

OTHER FINDINGS

SR

SPLIT RINGS



SR - 5,0 mm

g 0,09



SR - 6,0 mm

g 0,14



SR - 7,0 mm

g 0,22



SR - 8,0 mm

g 0,32



SR - 9,0 mm

g 0,40

QT

QUALITY TAGS



QT - 40

External 4,2 x 3,3 mm
Internal 3,0 x 1,0 mm

g 0,06



QT - 50

External 5,4 x 4,0 mm
Internal 4,2 x 1,3 mm

g 0,07

CAP

FLAT END CAPS



CAP - 1,0 mm

g 0,037



CAP - 1,5 mm

g 0,046



CAP - 2,0 mm

g 0,067



CAP - 2,5 mm

g 0,089



CAP - 3,0 mm

g 0,11



CAP - 4,0 mm

g 0,14



CAP - 5,0 mm

g 0,22



CAP - 6,0 mm

g 0,25



CAP - 7,0 mm

g 0,33



CAP - 8,0 mm

g 0,38



CAP - 10,0 mm

g 0,50

CAT

ROUND END CAPS



CAT - 1,5 mm

g 0,08



CAT - 2,0 mm

g 0,10



CAT - 2,5 mm

g 0,13



CAT - 3,0 mm

g 0,18



CAT - 4,0 mm

g 0,30



CAT - 5,0 mm

g 0,36

ST

SHINY TUBES

ST - Ø 1,5 x 2,0 mm
hole 1,1 mm

g 0,022

ST - Ø 2,0 x 1,5 mm
hole 1,6 mm

g 0,021

ST - Ø 2,0 x 2,0 mm
hole 1,6 mm

g 0,025

ST - Ø 2,0 x 3,0 mm
hole 1,6 mm

g 0,041

ST - Ø 2,5 x 2,0 mm
hole 2,1 mm

g 0,037

ST - Ø 2,5 x 2,5 mm
hole 2,1 mm

g 0,047



www.fior.it fior@fior.it

head office: via xxv aprile, 14 - 52019 ponticino (AR) italy
tel +39 0575 898341 - fax +39 0575 898798

branch: via salita brocchi, 24 - 36061 bassano del grappa (VI) italy
tel +39 0424 227872 - fax +39 0424 521963



FINDINGS PRODUCERS SINCE 1974

MADE IN TUSCANY

Tuscany means reliability, tradition in serving, innovation and culture.
These particular qualities distinguish
our production.

All our finishings of Italian design are entirely manufactured by us using
machinery made by ourselves.

SOCIAL RESPONSIBILITY

Fior spa adopted a Social Responsibility Management System
and obtained RJC COP and RJC COC Certifications.

The RJC Code of Practice (CoP) provides a common Standard
for ethical, social, human rights and environmental practices.

The RJC Chain-of-Custody (CoC) Standard, applicable to silver, gold and platinum,
aims to support responsible sourcing of these precious metals in the jewellery supply chain.





www.fior.it