



GOLDFILLED



MADE IN TUSCANY

Tuscany means reliability, tradition in serving, innovation and culture.
These particular qualities distinguish
our production.

All our finishings of Italian design are entirely manufactured by us using
machinery made by ourselves.

SOCIAL RESPONSIBILITY

Fior spa adopted a Social Responsibility Management System
and obtained RJC COP and RJC COC Certifications.

The RJC Code of Practice (CoP) provides a common Standard
for ethical, social, human rights and environmental practices.

The RJC Chain of Custody (CoC) Standard, applicable to silver, gold and platinum,
aims to support responsible sourcing of these precious metals in the jewellery supply chain.




INDEX

WEIGHT COMPARISONS.....	5
PLATING.....	5
NICKEL SAFE AND NICKEL FREE ALLOYS	5

GOLDFILLED

SPRING RINGS	46
CLASPS	46
LOBSTER CLAW CLASPS.....	46
TRIGGER CLASPS	47
OVAL TRIGGER CLASPS	47
DOUBLE PUSH CLASPS	47
SHINY BEADS	48
BEADS.....	48
ONE HOLE BEADS.....	48
ROUNDELS	48
DISCS	48
SAUCERS.....	48
LASER CUT BEADS	49
BEADS.....	49
ROUNDELS	49
HAMMERED BEADS	49
BEADS.....	49
OVALS	49
DONUTS	49
OTHER FINDINGS	50
SPLIT RINGS	50
QUALITY TAGS	50
SHINY TUBES.....	50
FLAT END CAPS	51
ROUND END CAPS	51



WEIGHT COMPARISONS

	Pt.950	F.G.	22 kt	18 kt	14 kt	10 kt	9 kt	F.S.	Stg.
Pt.950	1.00	0.90	0.82	0.70	0.60	0.53	0.53	0.49	0.48
F.G.	1.11	1.00	0.91	0.78	0.67	0.59	0.58	0.54	0.54
22 kt	1.22	1.10	1.00	0.86	0.73	0.65	0.64	0.60	0.59
18 kt	1.42	1.28	1.16	1.00	0.85	0.76	0.75	0.69	0.68
14 kt	1.66	1.50	1.36	1.17	1.00	0.89	0.88	0.81	0.80
10 kt	1.88	1.69	1.54	1.32	1.13	1.00	0.99	0.92	0.90
9 kt	1.90	1.71	1.56	1.34	1.14	1.01	1.00	0.93	0.92
F.S.	2.04	1.84	1.68	1.44	1.23	1.09	1.08	1.00	0.99
Stg.	2.07	1.87	1.70	1.46	1.25	1.11	1.09	1.01	1.00

Multiply by the factor shown

i.e. if an article weighs 10 gms in 14 kt it will weigh 8.8 gms in 9 kt (10 X 0.88)
if an article weighs 5 gms in Stg Silver it will weigh 7.3 gms in 18 kt (5 X 1.46)

PLATING

All products are available with the following plating colors:

- Gold plating (hamilton color, 14 kt, 24 kt, new English)
- Rose plating
- Silver plating
- Rhodium plating
- Ruthenium plating (black color)
- Brown plating



NICKEL SAFE AND NICKEL FREE ALLOYS

White gold is available in nickel safe alloys (EU compliant) and nickel free alloys (either with silver or with palladium).

GOLDFILLED

SPRING RINGS

SUPERLIGHT WEIGHT

30



5,0 mm
g 0,061



5,5 mm
g 0,071



5,9 mm
g 0,090

STANDARD WEIGHT

30



5,0 mm
g 0,105



5,5 mm
g 0,124



5,9 mm
g 0,152



7,0 mm
g 0,21



8,0 mm
g 0,28

CLASPS

LOBSTER CLAW

LC



LC0 - 8,4 mm
g 0,20



LC1 - 10,1 mm
g 0,32



LC2 - 11,7 mm
g 0,45



LC3 - 13,6 mm
g 0,70



LC4 - 16,1 mm
g 0,95

LOBSTER CLAW - with jump ring

LC
WR



LC0 WR - 8,4 mm
g 0,23



LC1 WR - 10,1 mm
g 0,34



LC2 WR - 11,7 mm
g 0,50



LC3 WR - 13,6 mm
g 0,74



LC4 WR - 16,1 mm
g 1,05

Available in:

1/20 14k
1/20 12k

CLASPS

NTC

TRIGGER CLASPS



NTC1 - 8,2 mm
g 0,21



NTC2 - 10,0 mm
g 0,35



NTC3 - 12,0 mm
g 0,59

NTC
WR

TRIGGER CLASPS - with jump ring



NTC1 WR - 8,2 mm
g 0,22



NTC2 WR - 10,0 mm
g 0,40



NTC3 WR - 12,0 mm
g 0,70

TC

OVAL TRIGGER CLASPS



TC1 - 9,1 mm
g 0,24



TC2 - 11,4 mm
g 0,52



TC3 - 13,1 mm
g 0,78

DP

DOUBLE PUSH



DP1 - 12,0 mm
g 0,46



DP2 - 15,0 mm
g 0,71



DP3 - 16,0 mm
g 0,81

DP
WR

DOUBLE PUSH - with jump ring



DP1 WR - 12,0 mm
g 0,50



DP2 WR - 15,0 mm
g 0,74



DP3 WR - 16,0 mm
g 0,97

GOLDFILLED

SHINY



small hole



large hole

SB

BEADS

SB - 2,0 mm hole 0,9 mm	SB - 2,5 mm hole 0,9 mm hole 1,2 mm	SB - 3,0 mm hole 0,9 mm hole 1,2 mm hole 1,5 mm	SB - 4,0 mm hole 1,5 mm hole 1,8 mm	SB - 5,0 mm hole 1,5 mm hole 2,2 mm	SB - 6,0 mm hole 1,8 mm hole 2,4 mm	SB - 7,0 mm hole 1,8 mm hole 2,7 mm	SB - 8,0 mm hole 2,0 mm hole 2,5 mm hole 3,0 mm
g 0,018	g 0,030	g 0,041	g 0,076	g 0,13	g 0,32	g 0,45	g 0,67

OSB

ONE HOLE BEADS

OSB - 3,0 mm hole 0,9 mm	OSB - 4,0 mm hole 0,9 mm	OSB - 5,0 mm hole 0,9 mm	OSB - 6,0 mm hole 0,9 mm
g 0,041	g 0,070	g 0,124	g 0,266

SR

ROUNDELS

SR - 3,0 mm hole 1,2 mm	SR - 4,0 mm hole 1,5 mm	SR - 5,0 mm hole 1,8 mm	SR - 6,0 mm hole 2,0 mm
g 0,039	g 0,072	g 0,12	g 0,29

SD

DISCS

SD - 3,0 mm hole 1,3 mm	SD - 4,0 mm hole 1,6 mm	SD - 5,0 mm hole 2,0 mm	SD - 6,0 mm hole 2,1 mm
g 0,039	g 0,071	g 0,12	g 0,32

SS

SAUCERS

SS - 3,0 mm hole 1,0 mm	SS - 4,0 mm hole 1,4 mm	SS - 5,0 mm hole 1,4 mm	SS - 6,0 mm hole 1,5 mm
g 0,042	g 0,076	g 0,13	g 0,32

GOLDFILLED

LASER CUT

LB

BEADS



LB - 3,0 mm
hole 0,9 mm
hole 1,2 mm
hole 1,5 mm

g 0,042



LB - 4,0 mm
hole 1,5 mm
hole 1,8 mm

g 0,076



LB - 5,0 mm
hole 1,5 mm
hole 2,2 mm

g 0,13



LB - 6,0 mm
hole 1,8 mm
hole 2,4 mm

g 0,32



LB - 7,0 mm
hole 1,8 mm
hole 2,7 mm

g 0,46



LB - 8,0 mm
hole 2,0 mm
hole 3,0 mm

g 0,67

LR

ROUNDELS



LR - 3,0 mm
hole 1,2 mm

g 0,039



LR - 4,0 mm
hole 1,5 mm

g 0,071



LR - 5,0 mm
hole 1,8 mm

g 0,12



LR - 6,0 mm
hole 2,0 mm

g 0,29

HAMMERED

HB

BEADS



HB - 3,0 mm
hole 1,2 mm

g 0,045



HB - 4,0 mm
hole 1,5 mm

g 0,072



HB - 5,0 mm
hole 1,5 mm

g 0,13



HB - 6,0 mm
hole 1,8 mm

g 0,32

HO

OVALS



HO - Ø 3,0 x 4,6 mm
hole 1,3 mm

g 0,089



HO - Ø 4,0 x 7,0 mm
hole 1,5 mm

g 0,18



HO - Ø 5,0 x 8,0 mm
hole 2,0 mm

g 0,28

HDR

DONUTS



HDR - 3,0 mm
hole 1,2 mm

g 0,049



HDR - 4,0 mm
hole 1,5 mm

g 0,096



HDR - 5,0 mm
hole 1,8 mm

g 0,17



HDR - 6,0 mm
hole 2,5 mm

g 0,38

GOLDFILLED

OTHER FINDINGS

SPLIT RINGS

SR



SR - 5,0 mm
g 0,078



SR - 6,0 mm
g 0,12



SR - 7,0 mm
g 0,22



SR - 8,0 mm
g 0,28



SR - 9,0 mm
g 0,35

QUALITY TAGS

QT



QT - 40
External 4,2 x 3,3 mm
Internal 3,0 x 1,0 mm
g 0,053



QT - 50
External 5,4 x 4,0 mm
Internal 4,2 x 1,3 mm
g 0,063

SHINY TUBES

ST



ST - Ø 2,0 x 2,0 mm
hole 1,6 mm
g 0,022



ST - Ø 2,0 x 3,0 mm
hole 1,6 mm
g 0,042



ST - Ø 2,5 x 2,0 mm
hole 2,1 mm
g 0,037



ST - Ø 2,5 x 2,5 mm
hole 2,1 mm
g 0,044

HAMMERED TUBES

HT



HT - 3,0 x 10,0 mm
g 0,20



HT - 4,0 x 10,0 mm
g 0,27



HT - 5,0 x 10,0 mm
g 0,35



Mod. 1



Mod. 2



Mod. 3



Mod. 4



Mod. 5

GOLDFILLED

OTHER FINDINGS

CAP

FLAT END CAPS



CAP - 1,0 mm
g 0,025



CAP - 1,5 mm
g 0,032



CAP - 2,0 mm
g 0,056



CAP - 2,5 mm
g 0,067



CAP - 3,0 mm
g 0,075



CAP - 4,0 mm
g 0,122



CAP - 5,0 mm
g 0,19



CAP - 6,0 mm
g 0,23



CAP - 7,0 mm
g 0,29



CAP - 8,0 mm
g 0,36



CAP - 10,0 mm
g 0,46

CAT

ROUND END CAPS



CAT - 1,5 mm
g 0,060



CAT - 2,0 mm
g 0,089



CAT - 2,5 mm
g 0,110



CAT - 3,0 mm
g 0,141



CAT - 4,0 mm
g 0,24



CAT - 5,0 mm
g 0,31



www.fior.it fior@fior.it

head office: via xxv aprile, 14 - 52019 ponticino (AR) italy
tel +39 0575 898341 - fax +39 0575 898798

branch: via salita brocchi, 24 - 36061 bassano del grappa (VI) italy
tel +39 0424 227872 - fax +39 0424 521963



www.fior.it