



BRASS



MADE IN TUSCANY

Tuscany means reliability, tradition in serving, innovation and culture.
These particular qualities distinguish
our production.

All our finishings of Italian design are entirely manufactured by us using
machinery made by ourselves.

SOCIAL RESPONSIBILITY

Fior spa adopted a Social Responsibility Management System
and obtained RJC COP and RJC COC Certifications.

The RJC Code of Practice (CoP) provides a common Standard
for ethical, social, human rights and environmental practices.

The RJC Chain of Custody (CoC) Standard, applicable to silver, gold and platinum,
aims to support responsible sourcing of these precious metals in the jewellery supply chain.



INDEX

WEIGHT COMPARISONS.....5
PLATING.....5
NICKEL SAFE AND NICKEL FREE ALLOYS.....5

BRASS

SPRING RINGS.....68

CLASPS.....68
LOBSTER CLAW CLASPS.....68
TRIGGER CLASPS.....68
OVAL TRIGGER CLASPS.....68

SHINY BEADS.....69
BEADS.....69
ROUNDELS.....69
DONUTS.....69
DISCS.....69
SAUCERS.....69

DIAMOND CUT BEADS.....70
DISCOTEQUE CUT.....70
EAR CUT.....70
BAR CUT.....70

HAMMERED BEADS.....70

OTHER FINDINGS.....71
SPLIT RINGS.....71
QUALITY TAGS.....71
FLAT END CAPS.....71
ROUND END CAPS.....71



WEIGHT COMPARISONS

	Pt.950	F.G.	22 kt	18 kt	14 kt	10 kt	9 kt	F.S.	Stg.
Pt.950	1.00	0.90	0.82	0.70	0.60	0.53	0.53	0.49	0.48
F.G.	1.11	1.00	0.91	0.78	0.67	0.59	0.58	0.54	0.54
22 kt	1.22	1.10	1.00	0.86	0.73	0.65	0.64	0.60	0.59
18 kt	1.42	1.28	1.16	1.00	0.85	0.76	0.75	0.69	0.68
14 kt	1.66	1.50	1.36	1.17	1.00	0.89	0.88	0.81	0.80
10 kt	1.88	1.69	1.54	1.32	1.13	1.00	0.99	0.92	0.90
9 kt	1.90	1.71	1.56	1.34	1.14	1.01	1.00	0.93	0.92
F.S.	2.04	1.84	1.68	1.44	1.23	1.09	1.08	1.00	0.99
Stg.	2.07	1.87	1.70	1.46	1.25	1.11	1.09	1.01	1.00

Multiply by the factor shown

i.e. if an article weighs 10 gms in 14 kt it will weigh 8.8 gms in 9 kt (10 X 0.88)
if an article weighs 5 gms in Stg Silver it will weigh 7.3 gms in 18 kt (5 X 1.46)

PLATING

All products are available with the following plating colors:

- Gold plating (hamilton color, 14 kt, 24 kt, new English)
- Rose plating
- Silver plating
- Rhodium plating
- Ruthenium plating (black color)
- Brown plating



NICKEL SAFE AND NICKEL FREE ALLOYS

White gold is available in nickel safe alloys (EU compliant) and nickel free alloys (either with silver or with palladium).

BRASS

SPRING RINGS

STANDARD WEIGHT

30



5,0 mm
g 0,09



5,5 mm
g 0,11



5,9 mm
g 0,13



7,0 mm
g 0,18



8,0 mm
g 0,25

CLASPS

LOBSTER CLAW

LC



LC0 - 8,4 mm
g 0,22



LC1 - 10,1 mm
g 0,29



LC2 - 11,7 mm
g 0,42



LC3 - 13,6 mm
g 0,65



LC4 - 16,1 mm
g 1,02



LC5 - 16,3 mm
g 1,53



LC6 - 18,3 mm
g 2,09

TRIGGER CLASPS

NTC



NTC1 - 8,2 mm
g 0,23



NTC2 - 10 mm
g 0,35



NTC3 - 12 mm
g 0,56



NTC4 - 14,5 mm
g 0,90

OVAL TRIGGER CLASPS

TC



TC1 - 9,1 mm
g 0,23



TC2 - 11,4 mm
g 0,49



TC3 - 13,1 mm
g 0,74



TC4 - 16,1 mm
g 1,18



small hole

large hole

BRASS

SHINY

SB

BEADS



SB - 2,0 mm
hole 0,9 mm

g 0,020



SB - 2,2 mm
hole 1,0 mm

g 0,023



SB - 2,5 mm
hole 0,9 mm
hole 1,2 mm

g 0,031



SB - 3,0 mm
hole 1,2 mm
hole 1,5 mm

g 0,044



SB - 4,0 mm
hole 1,5 mm
hole 1,8 mm

g 0,089



SB - 5,0 mm
hole 1,5 mm
hole 2,2 mm

g 0,143



SB - 6,0 mm
hole 1,8 mm
hole 2,4 mm

g 0,29



SB - 7,0 mm
hole 1,8 mm
hole 2,7 mm

g 0,42



SB - 8,0 mm
hole 2,0 mm
hole 3,0 mm

g 0,50



SB - 9,0 mm
hole 3,4 mm

g 0,72

SR

ROUNDELS



SR - 3,0 mm
hole 1,2 mm

g 0,04



SR - 4,0 mm
hole 1,5 mm

g 0,09



SR - 5,0 mm
hole 1,8 mm

g 0,15



SR - 6,0 mm
hole 2,0 mm

g 0,29



SR - 7,0 mm
hole 2,5 mm

g 0,37

DR

DONUTS



DR - 3,0 mm
hole 1,2 mm

g 0,04



DR - 4,0 mm
hole 1,5 mm

g 0,09



DR - 5,0 mm
hole 1,8 mm

g 0,15



DR - 6,0 mm
hole 2,0 mm

g 0,29



DR - 7,0 mm
hole 2,5 mm

g 0,37

SD

DISCS



SD - 3,0 mm
hole 1,3 mm

g 0,05



SD - 4,0 mm
hole 1,6 mm

g 0,11



SD - 5,0 mm
hole 2,0 mm

g 0,18



SD - 6,0 mm
hole 2,1 mm

g 0,37

SS

SAUCERS



SS - 3,0 mm
hole 1,0 mm

g 0,05



SS - 4,0 mm
hole 1,4 mm

g 0,11



SS - 5,0 mm
hole 1,4 mm

g 0,18



SS - 6,0 mm
hole 1,5 mm

g 0,37

BRASS

DIAMOND CUT BEADS

DISCOTEQUE CUT

DB

					
DB - 3,0 mm hole 1,5 mm 3 faces	DB - 4,0 mm hole 1,8 mm 3 faces	DB - 5,0 mm hole 2,2 mm 3 faces	DB - 6,0 mm hole 2,4 mm 3 faces	DB - 7,0 mm hole 1,8 mm 5 faces hole 2,7 mm 5 faces	DB - 8,0 mm hole 2,0 mm 5 faces hole 3,0 mm 5 faces
g 0,036	g 0,072	g 0,11	g 0,25	g 0,33	g 0,39



EAR CUT

EB

				
EB - 3,0 mm hole 1,5 mm	EB - 4,0 mm hole 1,8 mm	EB - 5,0 mm hole 2,2 mm	EB - 6,0 mm hole 2,4 mm	EB - 8,0 mm hole 2,0 mm hole 3,0 mm
g 0,036	g 0,061	g 0,11	g 0,25	g 0,39



BAR CUT

BB

				
BB - 3,0 mm hole 1,5 mm	BB - 4,0 mm hole 1,8 mm	BB - 5,0 mm hole 2,2 mm	BB - 6,0 mm hole 2,4 mm	BB - 8,0 mm hole 2,0 mm hole 3,0 mm
g 0,038	g 0,065	g 0,10	g 0,25	g 0,39



HAMMERED

BEADS

HB

			
HB - 3,0 mm hole 0,9 mm hole 1,2 mm	HB - 4,0 mm hole 1,5 mm hole 1,8 mm	HB - 5,0 mm hole 1,5 mm hole 2,2 mm	HB - 6,0 mm hole 1,8 mm hole 2,4 mm
g 0,050	g 0,083	g 0,17	g 0,39



OTHER FINDINGS

SR

SPLIT RINGS



SR - 5,0 mm
g 0,073



SR - 6,0 mm
g 0,11



SR - 7,0 mm
g 0,17



SR - 8,0 mm
g 0,26



SR - 9,0 mm
g 0,31

QT

QUALITY TAGS



QT - 40
External 4,2 x 3,3 mm
Internal 3,0 x 1,0 mm
g 0,043



QT - 50
External 5,4 x 4,0 mm
Internal 4,2 x 1,3 mm
g 0,075

CAP

FLAT END CAPS



CAP - 1,0 mm
g 0,026



CAP - 1,5 mm
g 0,033



CAP - 2,0 mm
g 0,049



CAP - 2,5 mm
g 0,061



CAP - 3,0 mm
g 0,082



CAP - 4,0 mm
g 0,120



CAP - 5,0 mm
g 0,17



CAP - 6,0 mm
g 0,21



CAP - 7,0 mm
g 0,26



CAP - 8,0 mm
g 0,31



CAP - 10,0 mm
g 0,63

CAT

ROUND END CAPS



CAT - 1,5 mm
g 0,062



CAT - 2,0 mm
g 0,080



CAT - 2,5 mm
g 0,100



CAT - 3,0 mm
g 0,15



CAT - 4,0 mm
g 0,24



CAT - 5,0 mm
g 0,29



www.fior.it fior@fior.it

head office: via xxv aprile, 14 - 52019 ponticino (AR) italy
tel +39 0575 898341 - fax +39 0575 898798

branch: via salita brocchi, 24 - 36061 bassano del grappa (VI) italy
tel +39 0424 227872 - fax +39 0424 521963



www.fior.it