



BRÄSS



FINDINGS PRODUCERS SINCE 1974

## MADE IN TUSCANY

Tuscany means reliability, tradition in serving, innovation and culture.  
These particular qualities distinguish  
our production.

All our finishings of Italian design are entirely manufactured by us using  
machinery made by ourselves.

## SOCIAL RESPONSIBILITY

Fior spa adopted a Social Responsibility Management System  
and obtained RJC COP and RJC COC Certifications.

The RJC Code of Practice (CoP) provides a common Standard  
for ethical, social, human rights and environmental practices.

The RJC Chain of Custody (CoC) Standard, applicable to silver, gold and platinum,  
aims to support responsible sourcing of these precious metals in the jewellery supply chain.



# INDEX

WEIGHT COMPARISONS .....	5
PLATING .....	5
NICKEL SAFE AND NICKEL FREE ALLOYS .....	5



## BRASS

SPRING RINGS .....	68
CLASPS .....	68
LOBSTER CLAW CLASPS .....	68
TRIGGER CLASPS .....	68
OVAL TRIGGER CLASPS .....	68
SHINY BEADS .....	69
BEADS .....	69
ROUNDELS .....	69
DONUTS .....	69
DISCS .....	69
SAUCERS .....	69
DIAMOND CUT BEADS .....	70
DISCOTEQUE CUT .....	70
EAR CUT .....	70
BAR CUT .....	70
HAMMERED BEADS .....	70
OTHER FINDINGS .....	71
SPLIT RINGS .....	71
QUALITY TAGS .....	71
FLAT END CAPS .....	71
ROUND END CAPS .....	71



## WEIGHT COMPARISONS

	Pt.950	F.G.	22 kt	18 kt	14 kt	10 kt	9 kt	F.S.	Stg.
Pt.950	1.00	0.90	0.82	0.70	0.60	0.53	0.53	0.49	0.48
F.G.	1.11	1.00	0.91	0.78	0.67	0.59	0.58	0.54	0.54
22 kt	1.22	1.10	1.00	0.86	0.73	0.65	0.64	0.60	0.59
18 kt	1.42	1.28	1.16	1.00	0.85	0.76	0.75	0.69	0.68
14 kt	1.66	1.50	1.36	1.17	1.00	0.89	0.88	0.81	0.80
10 kt	1.88	1.69	1.54	1.32	1.13	1.00	0.99	0.92	0.90
9 kt	1.90	1.71	1.56	1.34	1.14	1.01	1.00	0.93	0.92
F.S.	2.04	1.84	1.68	1.44	1.23	1.09	1.08	1.00	0.99
Stg.	2.07	1.87	1.70	1.46	1.25	1.11	1.09	1.01	1.00

Multiply by the factor shown

i.e. if an article weighs 10 gms in 14 kt it will weigh 8.8 gms in 9 kt (10 X 0.88)

if an article weighs 5 gms in Stg Silver it will weigh 7.3 gms in 18 kt (5 X 1.46)

## PLATING

All products are available with the following plating colors:

- Gold plating (hamilton color, 14 kt, 24 kt, new English)
- Rose plating
- Silver plating
- Rhodium plating
- Ruthenium plating (black color)
- Brown plating



## NICKEL SAFE AND NICKEL FREE ALLOYS

White gold is available in nickel safe alloys (EU compliant) and nickel free alloys (either with silver or with palladium).

# BRASS

## SPRING RINGS

### STANDARD WEIGHT

30



5,0 mm  
g 0,09



5,5 mm  
g 0,11



5,9 mm  
g 0,13



7,0 mm  
g 0,18



8,0 mm  
g 0,25

## CLASPS

### LOBSTER CLAW

LC



LC0 - 8,4 mm  
g 0,22



LC1 - 10,1 mm  
g 0,29



LC2 - 11,7 mm  
g 0,42



LC3 - 13,6 mm  
g 0,65



LC4 - 16,1 mm  
g 1,02



LC5 - 16,3 mm  
g 1,53



LC6 - 18,3 mm  
g 2,09

### TRIGGER CLASPS

NTC



NTC1 - 8,2 mm  
g 0,23



NTC2 - 10 mm  
g 0,35



NTC3 - 12 mm  
g 0,56



NTC4 - 14,5 mm  
g 0,90

### OVAL TRIGGER CLASPS

TC



TC1 - 9,1 mm  
g 0,23




TC2 - 11,4 mm  
g 0,49



TC3 - 13,1 mm  
g 0,74



TC4 - 16,1 mm  
g 1,18



small hole

large hole

## SHINY

SB

### BEADS



SB - 2,0 mm  
hole 0,9 mm

g 0,020



SB - 2,2 mm  
hole 1,0 mm

g 0,023



SB - 2,5 mm  
hole 0,9 mm  
hole 1,2 mm

g 0,031



SB - 3,0 mm  
hole 1,2 mm  
hole 1,5 mm

g 0,044



SB - 4,0 mm  
hole 1,5 mm  
hole 1,8 mm

g 0,089



SB - 5,0 mm  
hole 1,5 mm  
hole 2,2 mm

g 0,143



SB - 6,0 mm  
hole 1,8 mm  
hole 2,4 mm

g 0,29



SB - 7,0 mm  
hole 1,8 mm  
hole 2,7 mm

g 0,42



SB - 8,0 mm  
hole 2,0 mm  
hole 3,0 mm

g 0,50



SB - 9,0 mm  
hole 3,4 mm

g 0,72

SR

### ROUNDELS



SR - 3,0 mm  
hole 1,2 mm

g 0,04



SR - 4,0 mm  
hole 1,5 mm

g 0,09



SR - 5,0 mm  
hole 1,8 mm

g 0,15



SR - 6,0 mm  
hole 2,0 mm

g 0,29



SR - 7,0 mm  
hole 2,5 mm

g 0,37

DR

### DONUTS



DR - 3,0 mm  
hole 1,2 mm

g 0,04



DR - 4,0 mm  
hole 1,5 mm

g 0,09



DR - 5,0 mm  
hole 1,8 mm

g 0,15



DR - 6,0 mm  
hole 2,0 mm

g 0,29



DR - 7,0 mm  
hole 2,5 mm

g 0,37

SD

### DISCS



SD - 3,0 mm  
hole 1,3 mm

g 0,05



SD - 4,0 mm  
hole 1,6 mm

g 0,11



SD - 5,0 mm  
hole 2,0 mm

g 0,18



SD - 6,0 mm  
hole 2,1 mm

g 0,37

SS

### SAUCERS



SS - 3,0 mm  
hole 1,0 mm

g 0,05



SS - 4,0 mm  
hole 1,4 mm

g 0,11



SS - 5,0 mm  
hole 1,4 mm

g 0,18



SS - 6,0 mm  
hole 1,5 mm







g 0,37

# BRASS

## DIAMOND CUT BEADS

### DISCOTEQUE CUT






DB

					
DB - 3,0 mm hole 1,5 mm 3 faces	DB - 4,0 mm hole 1,8 mm 3 faces	DB - 5,0 mm hole 2,2 mm 3 faces	DB - 6,0 mm hole 2,4 mm 3 faces	DB - 7,0 mm hole 1,8 mm 5 faces hole 2,7 mm 5 faces	DB - 8,0 mm hole 2,0 mm 5 faces hole 3,0 mm 5 faces
g 0,036	g 0,072	g 0,11	g 0,25	g 0,33	g 0,39



### EAR CUT



EB

				
EB - 3,0 mm hole 1,5 mm	EB - 4,0 mm hole 1,8 mm	EB - 5,0 mm hole 2,2 mm	EB - 6,0 mm hole 2,4 mm	EB - 8,0 mm hole 2,0 mm hole 3,0 mm
g 0,036	g 0,061	g 0,11	g 0,25	g 0,39



### BAR CUT

BB





				
BB - 3,0 mm hole 1,5 mm	BB - 4,0 mm hole 1,8 mm	BB - 5,0 mm hole 2,2 mm	BB - 6,0 mm hole 2,4 mm	BB - 8,0 mm hole 2,0 mm hole 3,0 mm
g 0,038	g 0,065	g 0,10	g 0,25	g 0,39



## HAMMERED

### BEADS

HB

			
HB - 3,0 mm hole 0,9 mm hole 1,2 mm	HB - 4,0 mm hole 1,5 mm hole 1,8 mm	HB - 5,0 mm hole 1,5 mm hole 2,2 mm	HB - 6,0 mm hole 1,8 mm hole 2,4 mm
g 0,050	g 0,083	g 0,17	g 0,39



## OTHER FINDINGS

SR

## SPLIT RINGS

SR - 5,0 mm  
g 0,073SR - 6,0 mm  
g 0,11SR - 7,0 mm  
g 0,17SR - 8,0 mm  
g 0,26SR - 9,0 mm  
g 0,31

QT

## QUALITY TAGS

QT - 40  
External 4,2 x 3,3 mm  
Internal 3,0 x 1,0 mm  
g 0,043QT - 50  
External 5,4 x 4,0 mm  
Internal 4,2 x 1,3 mm  
g 0,075

CAP

## FLAT END CAPS

CAP - 1,0 mm  
g 0,026CAP - 1,5 mm  
g 0,033CAP - 2,0 mm  
g 0,049CAP - 2,5 mm  
g 0,061CAP - 3,0 mm  
g 0,082CAP - 4,0 mm  
g 0,120CAP - 5,0 mm  
g 0,17CAP - 6,0 mm  
g 0,21CAP - 7,0 mm  
g 0,26CAP - 8,0 mm  
g 0,31CAP - 10,0 mm  
g 0,63

CAT

## ROUND END CAPS

CAT - 1,5 mm  
g 0,062CAT - 2,0 mm  
g 0,080CAT - 2,5 mm  
g 0,100CAT - 3,0 mm  
g 0,15CAT - 4,0 mm  
g 0,24CAT - 5,0 mm  
g 0,29





[www.fior.it](http://www.fior.it)    [fior@fior.it](mailto:fior@fior.it)

**head office:** via xxv aprile, 14 - 52019 ponticino (AR) italy  
tel +39 0575 898341 - fax +39 0575 898798

**branch:** via salita brocchi, 24 - 36061 bassano del grappa (VI) italy  
tel +39 0424 227872 - fax +39 0424 521963



[www.fior.it](http://www.fior.it)